

Megabond

Email: eleen@hsmbjy.com
whatsapp: +852 60396758

Producer of flexible package adhesive



Solvent-based flexible package adhesive

standard package structure		OPP/CPP,PET/CPP,PET/PE,PET/VMPET,OPP/VMCPP,NY/PE						
performance	Product code	plastic-plastic bonding			aluminum-plastic bonding			features
		standard	boiling	retort	standard	boiling	retort	
GENERAL	JP2175AB	<input checked="" type="checkbox"/>						wide range of application, low cost
	JP2270AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			not suitable for the composite of CPP and PE films with high additives content, low cost
	JP2375AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			the curing speed is fast and the cost is low
	JP2275AB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			the curing speed is fast and the cost is low



Email: eelen@hsmbjy.com
 whatsapp: +852 60396758

Solvent-based flexible package adhesive

boiling package structure		PET/AL/PE, PET/VMPET/PE, PET/PE, NY/PE, NY/RCPP, OPP/AL/PET/PE, PET/AL/NY/PE					
performance	Product code	plastic-plastic bonding		aluminum-plastic bonding		features	
		standard	boiling retort	standard	boiling retort		
Water-boiling	JL1166AB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		suitable for pasteurization has an excellent composite effect on aluminized products 100°C/30min of aluminum-plastic boiling sterilization special for pharmaceutical packaging 100°C/30min of plastic-plastic boiling sterilization 100°C/30min of plastic-plastic boiling sterilization
	JL1172AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		
	JL2170AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	JY5175AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		
	JS1175AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		
	JY5165AB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		

Solvent-based flexible package adhesive

retort package structure		PET/AL/RCPP, PET/NY/AL/RCPP, NY/RCPP, PET/AL/RCPP						
performance	Product code	plastic-plastic bonding			aluminum-plastic bonding			features
		standard	boiling	retort	standard	boiling	retort	
Steaming	JZ1160AB	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			121 °C/30min of plastic-plastic steaming sterilization
	JZ2166AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	135 °C/30min aluminum-plastic steaming sterilization
	JZ2260AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	125 °C/30min aluminum-plastic steaming sterilization
	JZ3150AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			excellent chemical resistance, soft composite products
	JZ3160AB	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	121 °C/30min aluminum-plastic steaming sterilization
	JZ3172AB	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			121 °C/30min plastic-plastic steaming sterilization

solvent-free flexible package adhesive

standard package		OPP/CPP, PET/CPP, NY/PE, NY/CPP, OPP/VMCPP						feature
adhesive type	performanc	plastic-plastic bonding			aluminum-plastic bonding			
		standard	boiling	steaming	standard	boiling	steaming	
SOLVENT-FREE	GENERAL	WP1210AB	<input checked="" type="checkbox"/>					long operating time can be cured at room temperature at ambient temperature greater than or equal to 20°C
		WS0046AB	<input checked="" type="checkbox"/>					



Email:eleen@hsmbjy.com
whatsapp:+852 60396758

solvent-free flexible package adhesive

boiling package structure		PET/AL/PE,PET/PE,PET/VMPET/PE,NY/PE,NY/RCPP							
adhesive type	performanc	product code	plastic-plastic bonding			aluminum-plastic bonding			feature
			standard	boiling	steaming	standard	boiling	steaming	
SOLVENT-FREE	BOILING	WL0079AB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			100°C plastic-plastic boiling
		WL8058AB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			100°C plastic-plastic boiling
		WP8080AB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			100°C plastic-plastic boiling, good heat sealing strength

solvent-free flexible package adhesive

Retort package structure			PET/AL/NY/PE, PET/AL/NY/RCPP, NY/RCPP						feature
adhesive type	performance	product code	plastic-plastic bonding			aluminum-plastic bonding			
			standard	boiling	steaming	standard	boiling	steaming	
SOLVENT-FREE	STEAMING	WZ2179AB			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	121 °C/30min aluminium-plastic steaming
		WZ2157AB			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	121 °C/30min plastic-plastic steaming
		WY8079AB			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	121 °C/30min aluminium-plastic steaming
		WY2546AB			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	125 °C/30min aluminium-plastic steaming
		WY3546AB			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	135 °C/30min aluminium-plastic steaming
		WZ2210AB			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	121 °C/30min temperature resistant

Megabond

Email: eleen@hsmbjy.com
whatsapp: +852 60396758

30 Years of experience in composite flexible package adhesive!

Still have no idea?
Come and contact
our specialists!

We specialize in:

- Solvent-based polyurethane adhesive (Page 2-4)
- Solvent-free polyurethane adhesive (Page 5-7)

