

Anhui Tianfu New Material Co.,Ltd.











GRP HAUDRAIL SYSTEM



- Room 1716, Lvdi Building, Qianshan Road, Zhengwu District, Hefei City, Anhui Province, China.
- Website: www.tfcomposite.com
- Mobile/Whatsapp/Wechat/Skype: +86 13696771864
- E-mail: sales@tfcomposite.com



COMPANY PROFILE

About Us

Anhui Tianfu new material Co.,Ltd. It is located in Hefei, the capital city of Anhui Province, China.

Since 1999, we have been the agent of CHINA JUSHI (Fiberglass manufacturer, Listed stocks Code: SH.600176) and Shangwei New Materials (Resin manufacturer, Listed stocks Code:SH.688585), which are the largest glass fiber and resin manufacturer in China, and gradually become their largest agent. We supply fiberglass and resin raw materials to most fiberglass manufacturers in China.

Since 2015, we decided to take advantages of the raw material supply chain and set up our own FRP product production factory. After 6 years of development, now we have 20 production lines, with an average daily output of 100 tons. The factory covers an area of 1500 square meters and employs 150 people, and the products are sold to many countries around the world.

Nowadays, Anhui Tianfu new material Co.,Ltd. has become a excellent supplier of FRP product around the world. In the future, we will launch more FRP products to better serve our customers.

Company Shows








Factory Show












COOPERATIVE PAPTNER

Customer Cases















































Marketing Development





GRP HANDRAIL SYSTEM

5M GRP TUBE



Our GRP Handrail tube (5mm wall) is available in 5mlengths. The outside diameter of the GRP tube is 50mm.

GRP EXTERNAL SWIVEL



The GRP External Swivel is a versatile in-line swivel fitting, often used where angles vary on slopes, steps and landings.

GRP-101



The GRP 101 Short Tee is a 90° tee connection, typically used in a GRP handrail to connect vertical posts to the top rail, or to join the midrail to the end post. The tube cannot be joined within the top of the fitting – the GRP-104 Long Tee can be used as an alternative if this is required.

GRP-104



The GRP 104 Long Tee is a 90° tee connection, typically used to connect vertical posts to the top rail of a GRP handrail. The GRP-104 can be used where two lengths of tube need to be joined within the top of the fitting.

GRP-116



The GRP 116 Mid Corner is a 90° corner joint, often used in a GRP handrail or guardrail to continue the middle rail on a 90° corner, but can also be used to build rectangular or square structures. The upright passes vertically through the GRP fitting. Often used with the GRP-128 Top Corner.

GRP-119



The GRP Fitting 119 Midrail Cross is a 90° joint, often used to join the middle rail to an intermediate upright post in a GRP handrail or guardrail. The upright passes vertically through the GRP fitting.

GRP-125



The GRP 125 fitting is a 90° elbow, often used in a GRP handrail or guardrail to connect the top rail to the upright post at the end of a run.

GRP-128



The 128 Top Corner GRP fitting is a 3-way, 90° elbow, typically used to join an upright post to the top rail of a GRP handrail on a 90° corner. Often used with the GRP-116 Mid Corner.

GRP HANDRAIL SYSTEM

GRP-129



The GRP 129 is a 30° tee fitting, often used in a staircase GRP handrail or guardrail.

GRP-130



The GRP 130 fitting is a 30° Cross, often used to connect the midrail to intermediate posts in a staircase GRP handrail.

GRP-132



The GRP 132 Base Plate is a base flange with four fixing holes, used to fix down the upright posts in a handrail or guardrail.

GRP-143



The 145 Wall Socket is a GRP Fitting designed for side fixing GRP handrails or guardrails to walls, ramps and steps.

GRP-116



The GRP 116 Mid Corner is a 90° corner joint, often used in a GRP handrail or guardrail to continue the middle rail on a 90° corner, but can also be used to build rectangular or square structures. The upright passes vertically through the GRP fitting. Often used with the GRP-128 Top Corner.

GRP-173




The GRP 173 Single Swivel is a versatile swivel fitting, used where angles vary on slopes, steps and landings.

GRP-FIXINGS



We will include the necessary fixing bolts and adhesive in your quotation so you've got everything you need to install your GRP handrail securely.

GRP-KICKPLATE-100MM




Our GRP Kickplate is 100mm wide, with a 5mm wall. It is stocked in 6m lengths but can be cut to length if required.

GRP HANDRAIL SYSTEM

Application Scenarios










































Anhui Tianfu New Material Co.,Ltd.

Address: Room 1716, Lvdi Building, Qianshan Road, Zhengwu District, Hefei City, Anhui Province, China.

Website: www.tfcomposite.com

Tel/Whatsapp/Wechat/Skype: +86 13696771864

E-mail: sales@tfcomposite.com